



Unit 9, Huss's Lane  
Long Eaton  
Derbyshire  
NG10 1GS  
Freephone: 0800 772 0745  
E: info@yourgaragedoors.co.uk

Dear Customer

Thank you for downloading this brochure; please don't hesitate to contact me for further information on free phone: 0800 772 0745.

Kind Regards

Sid Godber  
Managing Director



ThermoPlus / ThermoPro  
Entrance Doors

NEW: Styles with embellishments in stainless steel look



**WHY NOT VISIT OUR SHOWROOM:**



**Monday to Friday – 8am to 5pm. Saturday 9am to 12noon**  
**Unit 9, Huss's Lane, Long Eaton, Derbyshire. NG10 1GS**



Derby: 01332 960 054  
Ripley: 01773 790 090  
Burton-on-Trent: 01283 342 012



Nottingham: 0115 854 9172  
Newark: 01636 870 008  
Bingham: 01949 280 039



Leicester: 0116 442 2031  
Loughborough: 01509 590 045  
Melton Mowbray: 01664 550 018



# ThermoPlus / ThermoPro Entrance Doors

**NEW:** Styles with embellishments in stainless steel look



[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)  
Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)



[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)  
Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)



## CONTENT

6	Good reasons to try Hörmann
10	Programme overview
12	ThermoPlus
20	ThermoPro
30	Safety equipment
32	Automatic locks, glazings, handles
34	Colours and surface finishes
36	Dimensions and fitting data
38	Hörmann product range

The colours and surface finishes shown are subject to the limitations of the printing process and cannot be regarded as binding.

Some of the products and equipment details described and illustrated in this catalogue are not standard, but available for a surcharge depending on the equipment option. Please contact your Hörmann Partner with reference to the current price list for specific door equipment.

Descriptions and pictures, information about the scope of delivery, equipment and colour correspond to the time of printing.

*Subject to changes and errors.*

All rights reserved. No part may be reproduced without our prior permission.

Style 700 in Designal Golden Oak with six elements

**[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)**  
**Contact Sid for a free no obligation quotation:**  
**0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)**

# There's no place like home

What's better than coming home after a long day at work and enjoying family life? You can eat, play board games and watch TV together. To be able to enjoy time with your loved ones, you have to feel safe and at ease in your own four walls.

Hörmann ThermoPlus and ThermoPro entrance doors will help you with that. Our high-quality construction components feature excellent thermal insulation values, reliable safety equipment, a large selection of styles and an attractive price-performance ratio. You are sure to find a Hörmann door that meets your demands on the following pages.





[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)  
Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

“A good reputation must be earned.”


August Hörmann

In keeping with the tradition started by the company's founder, the name Hörmann delivers brand name quality with extensive product expertise. The family business has over 75 years of experience as a construction component specialist and sees itself as your partner from the very beginning of building and renovation projects. It's no surprise that Hörmann is one of Europe's most successful entrance door providers. All this makes Hörmann entrance doors a reassuring purchase.



## 1 Quality products from Germany

The entrance door construction is developed and manufactured by Hörmann. Our highly qualified employees work intensively on new products, continual further developments and improvements to details. Patents and unique products on the market are the result of this. Endurance tests under real conditions ensure mature series products with Hörmann quality.




## 2 Entrance doors for generations

We are convinced of our products and our uncompromising quality assurance. That is why we issue a 5-year guarantee\* on ThermoPlus/ThermoPro entrance doors.

## 3 An eye on the future

Hörmann is setting a good example. This is why, since 2013, the company has obtained 40 % of its required energy from green sources and will continue to increase this percentage. At the same time, many tonnes of CO<sub>2</sub> are saved each year thanks to the introduction of an intelligent and certified energy management system. And last but not least, Hörmann offers products for sustainable construction. Find out more about Hörmann's environmental activities in the "We think green" brochure.



\* The complete warranty conditions can be found at [www.hoermann.com](http://www.hoermann.com)

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)  
**Contact Sid for a free no obligation quotation:**  
**0800 772 0745 - info@yourgaragedoors.co.uk**



## 4 Door leaf without visible leaf profile

ThermoPro and ThermoPlus doors make for an exquisite and elegant reception – whether you use them for a main or a side entrance. The shapely door leaf with its solid interior and exterior and leaf profile on the inside fulfils the highest design requirements. The interior view (shown on page 30) harmonises perfectly with your residential internal doors.

## 5 High thermal insulation

With  $U_D$ -values up to  $1.1 \text{ W}/(\text{m}^2\cdot\text{K})^*$ , ThermoPro entrance doors provide excellent thermal insulation for your home. ThermoPlus entrance doors feature a  $U_D$ -value of up to  $0.87 \text{ W}/(\text{m}^2\cdot\text{K})^*$  for even better thermal insulation. As a result, you save energy in the long term while also protecting the environment.



Doors of other manufacturers have a disturbed appearance owing to a visible leaf profile

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

\*Dependent on door size. Specified values for RAM 1230 x 2180 mm.



## 6 Break-in-resistant locking

You and your family should feel safe in your own home. This is why our ThermoPlus/ThermoPro doors are equipped with multiple-point locking as standard. The hinge side is secured with three security bolts. For ThermoPlus doors, the hinge side is secured with a continuous security strip, ensuring better protection against the hinge side being forced open.

For even more security, many ThermoPro door styles as well as all ThermoPlus entrance doors (including with side elements and transom lights) are optionally available with break-in-resistant RC 2 security equipment.

## 7 Safe glazing

When it comes to industrial safety and burglar protection, Hörmann entrance doors fulfil the highest demands. The 8-mm-thick laminated safety glass on the interior of the insulated glazing provides maximum security. In case of breakage, the glass splinters are bound and stay adhered to the plastic film on the inside, virtually eliminating any danger of being injured by the shards.

Furthermore, the laminated safety glass offers better protection against burglars as it makes reaching through more difficult.



[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:

0800 772 0745 [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

For further information, please see page 60.

## ThermoPlus

### Door leaf

The high-quality ThermoPlus doors are equipped with a solid 65-mm-thick steel door leaf with a leaf profile on the inside and a thick rebate. The solid door view from the inside gives the impression of a residential internal door and blends harmoniously with the look of your house's interior.

### Leaf profile

The leaf profile made of composite material components creates a better thermal break, providing higher stability and ensuring that the door leaf never warps.

### Thermal insulation

With a  $U_D$ -value of up to  $0.87 \text{ W}/(\text{m}^2 \cdot \text{K})$ , the ThermoPlus version is the best when it comes to thermal insulation, saving you energy in the long term.

### Break-in resistance


All ThermoPlus entrance door styles, as well as side elements and transom lights, come with optional RC 2 security features. The doors are approved for being fitted opening inwards and outwards.



Round-style (profile A3)

### Frame

The 80 mm aluminium frame with thermal break and PU foam infill is available in a round (top figure) or rectangular profile (bottom figure).




Rectangular version (profile A4)



### Seal

ThermoPlus doors are characterised by their well thought-out details, such as the 20-mm-high aluminium / plastic threshold with triple sealing and thermal break. This improves the door's thermal insulation, saving



ThermoPlus

$U_D$ -value up to  
 $0.87 \text{ W}/(\text{m}^2 \cdot \text{K})$

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

Approved by IFT Rosenheim  
Door size RAM 1230 × 2180 mm

## ThermoPro

### Door leaf

All ThermoPro doors are equipped with a solid, 46-mm-thick interior and exterior steel door leaf with internal leaf profile and thick rebate design. The solid door view from the inside corresponds to a residential internal door and can be optimally integrated into your house's interior.

### Leaf profile

The leaf profile made of composite material has a thermal break and is very stable, ensuring that the door leaf never warps.

### Thermal insulation

With the PU-foamed door leaf and thanks to a thermal break, ThermoPro doors provide excellent thermal insulation for your home with a  $U_D$ -value of up to  $1.1 \text{ W}/(\text{m}^2\cdot\text{K})$ .

### Break-in resistance

ThermoPro TPS 700/750/900/010/015 and 100 door styles come optionally without side elements and transom lights, with RC 2 equipment. The doors are approved for being fitted opening inwards.



Round-style (profile A1)



Rectangular version (profile A2)


### Frame

The 60 mm aluminium frame with thermal break is available in a round (top figure) or rectangular profile (bottom figure).



### Seal

Save valuable energy: a 20-mm-high aluminium/plastic threshold with thermal break and double sealing reduces heat loss. The additional brush seals at the bottom provide optimum protection against bad weather.



ThermoPro

$U_D$ -value up to  
 $1.1 \text{ W}/(\text{m}^2\cdot\text{K})$

Approved by IFT Rosenheim  
Door size RAM 1230 × 2180 mm

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)  
Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)



[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

## The entrance door that makes you feel welcome

The ThermoPlus entrance door offers you everything that makes for an excellent entrance door.

The solid 65-mm-thick steel door leaf with PU rigid foam infill and the leaf profile on the inside made of composite material keep the cold out. With a  $U_D$ -value of up to  $0.87 \text{ W}/(\text{m}^2 \cdot \text{K})$ , ThermoPlus doors feature excellent thermal insulation. As standard, the doors are equipped with a 5-point security lock, allowing you to feel safe and secure in your home. ThermoPlus styles are optionally available with RC 2 safety equipment to make you feel even more secure in your own four walls.

Choose your ideal entrance door from 8 attractive styles and customise it with one of our 15 preferred colours and 5 Decograin decors. Custom Hörmann ThermoPlus doors are available at hard-to-beat prices!

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:

0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

Style 010 in Decograin Golden Oak with side elements

## Showcase your good taste



### Style 700

Shown: preferred colour Grey aluminium RAL 9007  
Stainless steel handle HB 38-2 on steel infill,  
full glazing: triple-pane insulated glass, exterior  
laminated safety glass, centre sand-blasted float  
with clear stripes, interior clear single-pane safety  
glass,  $U_D$ -value up to  $0.98 \text{ W}/(\text{m}^2 \cdot \text{K})^*$

#### Side element / transom light

Triple-pane insulated glazing, exterior laminated  
safety glass, centre float, interior laminated  
safety glass



### Style 750

Shown: standard colour Traffic white, silk matt,  
RAL 9016  
Stainless steel handle HB 38-2 on steel infill,  
full glazing: triple-pane insulated glass, exterior  
laminated safety glass, centre sand-blasted float  
with clear stripes, interior clear single-pane safety  
glass,  $U_D$ -value up to  $0.95 \text{ W}/(\text{m}^2 \cdot \text{K})^*$

#### Side element / transom light

Triple-pane insulated glazing, exterior laminated  
safety glass, centre float, interior laminated  
safety glass

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

\*Dependent on door size. Specified values for RAM 1230 x 2180 mm.



**Style 800 ■ NEW**

Shown: Decograin Titan Metallic CH 703  
 Stainless steel handle HB 38-2 on steel infill,  
 4 rectangular glazings with stainless steel frame:  
 triple-pane insulated glass, exterior laminated  
 safety glass, centre sand-blasted float,  
 interior clear laminated safety glass,  
 $U_D$ -value up to  $0.93 \text{ W}/(\text{m}^2\cdot\text{K})^*$

**Side element / transom light**

Triple-pane insulated glazing, exterior laminated  
 safety glass, centre float, interior laminated  
 safety glass



**Style 810 ■ NEW**

Shown: standard colour Traffic white, silk matt,  
 RAL 9016  
 Stainless steel handle HB 38-2 on steel infill,  
 3 rectangular glazings with clear all-round stripe  
 and stainless steel frame: triple-pane insulated  
 glass, exterior laminated safety glass, centre  
 sand-blasted float, interior clear single-pane  
 safety glass,  $U_D$ -value up to  $0.99 \text{ W}/(\text{m}^2\cdot\text{K})^*$

**Side element / transom light**

Triple-pane insulated glazing, exterior laminated  
 safety glass, centre float, interior laminated  
 safety glass

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

**Contact Sid for a free no obligation quotation:**

**0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)**

\* Dependent on door size. Specified values for RAM 1230 x 2180 mm.



[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

For a welcoming reception at home



**Style 850**

Shown: Decograin Dark Oak  
 Stainless steel handle HB 38-2 on steel infill,  
 with rounded glazing: triple-pane insulated glass,  
 exterior laminated safety glass, centre sand-  
 blasted float with clear stripes, interior clear  
 laminated safety glass,  $U_D$ -value  
 up to  $0.96 \text{ W}/(\text{m}^2 \cdot \text{K})^*$

**Side element / transom light**

Triple-pane insulated glazing, exterior laminated  
 safety glass, centre float, interior laminated  
 safety glass



**Style 900**

Shown: standard colour Traffic white, silk matt,  
 RAL 9016  
 Stainless steel handle HB 38-2 on steel infill,  
 with rounded glazing: triple-pane insulated glass,  
 exterior laminated safety glass, centre sand-  
 blasted float with clear stripes, interior clear  
 single-pane safety glass,  $U_D$ -value up to  
 $0.96 \text{ W}/(\text{m}^2 \cdot \text{K})^*$

**Side element / transom light**

Triple-pane insulated glazing, exterior laminated  
 safety glass, centre float, interior laminated  
 safety glass

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)  
**Contact Sid for a free no obligation quotation:**  
**0800 772 0745 - info@yourgaragedoors.co.uk**

◀ **Style 900** in **1500** Metalliz. **Chrom. 06**, with **side element** (Dependent on door size) Specified values for RAM 1230 x 2180 mm.



**Style 015**

Shown: Decograin Titan Metallic CH 703 with embellishments in stainless steel look  
Stainless steel handle HB 14-2 on steel infill, optionally with embellishments in stainless steel look ■ **NEW**,  $U_D$ -value up to  $0.87 \text{ W}/(\text{m}^2 \cdot \text{K})^*$

**Side element / transom light**

Triple-pane insulated glazing, exterior laminated safety glass, centre float, interior laminated safety glass

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:

0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

\*Dependent on door size. Specified values for RAM 1230 x 2180 mm.

# Create a stylish entrance area



## Style 010

Shown: standard colour Traffic white, silk matt, RAL 9016

Stainless steel handle HB 14-2 on steel infill,  $U_D$ -value up to  $0.87 \text{ W}/(\text{m}^2\cdot\text{K})^*$

### Side element / transom light

Triple-pane insulated glazing, exterior laminated safety glass, centre float, interior laminated safety glass



## Style 015

Shown: standard colour Traffic white, silk matt, RAL 9016

Stainless steel handle HB 14-2 on steel infill, ribbed,  $U_D$ -value up to  $0.87 \text{ W}/(\text{m}^2\cdot\text{K})^*$

### Side element / transom light

Triple-pane insulated glazing, exterior laminated safety glass, centre float, interior laminated safety glass

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:

0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

\*Dependent on door size. Specified values for RAM 1230 x 2180 mm.



[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

## Turn your entrance into an eye-catcher

If you would like to equip your main and side entrance with an attractive, high-quality door, Hörmann's ThermoPro is the right choice for you. With a  $U_D$ -value up to  $1.1 \text{ W}/(\text{m}^2 \cdot \text{K})$ , the ThermoPro door achieves excellent thermal insulation values. Thanks to the standard 5-point security lock, the entrance door is ideally equipped when it comes to security. Some styles are optionally available with RC 2 safety equipment to make you feel even more secure in your own four walls.

Choose your favourite from 12 door styles – from modern to classic. You can customise your Hörmann door with colours, glazings, side elements and transom lights according to your preferences. The inexpensive ThermoPro doors are available at hard-to-beat prices.

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:

0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

Style 015 in Standard colour Traffic white RAL 9016, with side element



**Style 700**

Shown: Decograin Titan Metallic CH 703  
Stainless steel handle HB 38-2 on steel infill,  
full glazing: triple-pane insulated glass, exterior  
laminated safety glass, centre sand-blasted float  
with clear stripes, interior clear single-pane safety  
glass,  $U_D$ -value up to  $1.3 \text{ W}/(\text{m}^2\cdot\text{K})^*$

**Side element / transom light**

Double-pane insulated glazing, exterior laminated  
safety glass, interior laminated safety glass,  
sand-blasted float

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

**Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)**

\*Dependent on door size. Specified values for RAM 1230 x 2180 mm.

# A simple way to show good taste



## Style 750

Shown: standard colour Traffic white, silk matt, RAL 9016

Stainless steel handle HB 38-2 on steel infill, full glazing: triple-pane insulated glass, exterior laminated safety glass, centre sand-blasted float with clear stripes, interior clear single-pane safety glass,  $U_D$ -value up to  $1.2 \text{ W}/(\text{m}^2 \cdot \text{K})^*$

### Side element / transom light

Double-pane insulated glazing, exterior laminated safety glass, interior laminated safety glass, float



## Style 900

Shown: Decograin Golden Oak

Stainless steel handle HB 38-2 on steel infill, with rounded glazing: triple-pane insulated glass, exterior laminated safety glass, centre sand-blasted float with clear stripes, interior clear single-pane safety glass,  $U_D$ -value up to  $1.2 \text{ W}/(\text{m}^2 \cdot \text{K})^*$

### Side element / transom light

Double-pane insulated glazing, exterior laminated safety glass, interior laminated safety glass, float

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:

0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

\*Dependent on door size. Specified values for RAM 1230 x 2180 mm.

## Timeless elegance for your home



### Style 010

Shown: preferred colour Anthracite grey RAL 7016  
Stainless steel handle HB 14-2 on steel infill,  
U<sub>D</sub>-value up to 1.1 W/(m<sup>2</sup>·K)\*

#### Side element / transom light

Double-pane insulated glazing, exterior laminated safety glass, interior single-pane safety glass



### Style 020

Shown: standard colour Traffic white, silk matt, RAL 9016

Stainless steel handle HB 14-2 on steel infill, full glazing: double-pane insulated glass, exterior laminated safety glass, interior single-pane safety glass, Mastercarré, U<sub>D</sub>-value up to 1.4 W/(m<sup>2</sup>·K)\*

#### Side element / transom light

Double-pane insulated glazing, exterior laminated safety glass, interior single-pane safety glass, Mastercarré

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:

0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

\*Dependent on door size. Specified values for RAM 1230 x 2180 mm.



**Style 030**

Shown: preferred colour Window grey RAL 7040  
 Stainless steel handle HB 14-2 on steel infill,  
 full glazing: double-pane insulated glass, exterior  
 laminated safety glass, interior single-pane  
 safety glass, Mastercarré, U<sub>D</sub>-value  
 up to 1.3 W/(m<sup>2</sup>·K)\*

**Side element / transom light**

Double-pane insulated glazing,  
 exterior laminated safety glass,  
 interior single-pane safety glass, Mastercarré



**Style 040**

Shown: standard colour Traffic white, silk matt,  
 RAL 9016  
 Stainless steel handle HB 14-2 on steel infill,  
 with round glazing Ø 300 mm: double-pane  
 insulated glass, exterior laminated safety glass,  
 interior single-pane safety glass, ornamental glass  
 504, U<sub>D</sub>-value up to 1.2 W/(m<sup>2</sup>·K)\*

**Side element / transom light**

Double-pane insulated glazing, exterior laminated  
 safety glass, interior single-pane safety glass,  
 ornamental glass 504

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

**Contact Sid for a free no obligation quotation:  
 0800 772 0745 - info@yourgaragedoors.co.uk**

\*Dependent on door size. Specified values for RAM 1230 x 2180 mm.



# NEW: with embellishments in stainless steel look



## Style 015

Shown: standard colour Traffic white, silk matt, RAL 9016

Stainless steel handle HB 14-2 on steel infill, ribbed, optionally with embellishments in stainless steel look ■ **NEW**,  $U_D$ -value up to 1.1 W/(m<sup>2</sup>·K)\*

### Side element / transom light

Double-pane insulated glazing, exterior laminated safety glass, interior laminated safety glass, clear



## Style 025

Shown: standard colour Traffic white, silk matt, RAL 9016 with embellishments in stainless steel look

Stainless steel handle HB 14-2 on steel infill, optionally with embellishments in stainless steel look ■ **NEW**, full glazing: double-pane insulated glass, exterior laminated safety glass, interior single-pane safety glass, Mastercarré,  $U_D$ -value up to 1.4 W/(m<sup>2</sup>·K)\*

### Side element / transom light

Double-pane insulated glazing, exterior laminated safety glass, interior single-pane safety glass, Mastercarré

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:

0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)



**Style 100**

Shown: preferred colour Terra brown RAL 8028

Stainless steel handle HB 14-2 on steel infill,  
with 6 panels,  $U_D$ -value up to  $1.1 \text{ W}/(\text{m}^2 \cdot \text{K})^*$

**Side element with panel infill**

3 panels

**Side element / transom light**

Double-pane insulated glass, exterior laminated  
safety glass, interior single-pane safety glass,  
cathedral glass with small hammered finish

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:

0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

# For fans of the country style



## Style 200

Shown: standard colour Traffic white, silk matt, RAL 9016

Stainless steel handle HB 14-2 on steel infill, double-pane insulated glass, exterior laminated safety glass, interior single-pane safety glass inside, cathedral glass with small hammered finish with surface-mounted rails,  $U_D$ -value up to  $1.2 \text{ W}/(\text{m}^2\cdot\text{K})^*$

### Side element with panel infill

3 panels

### Side element / transom light

Double-pane insulated glass, exterior laminated safety glass, interior single-pane safety glass, cathedral glass with small hammered finish



## Style 400

Shown: standard colour Traffic white, silk matt, RAL 9016

Stainless steel handle HB 14-2 on steel infill, double-pane insulated glass, exterior laminated safety glass, interior single-pane safety glass, cathedral glass with small hammered finish with surface-mounted rails,  $U_D$ -value up to  $1.5 \text{ W}/(\text{m}^2\cdot\text{K})^*$

### Side element with panel infill

1 panel and double-pane insulated glass, exterior laminated safety glass, interior single-pane safety glass, cathedral glass with small hammered finish

### Side element / transom light

Double-pane insulated glass, exterior laminated safety glass, interior single-pane safety glass, cathedral glass with small hammered finish

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)  
**Contact Sid for a free no obligation quotation!**  
**0800 772 0745 - info@yourgaragedoors.co.uk**

\*Energy class B. Door size: Specified values for RAM 1230 x 2180 mm.

## Reassuring security



### 5-point security lock

You will feel safe at home: 2 conical swing bolts **4** engage with 2 additional security bolts **3** and 1 lock bolt **2** in the frame's lock plates and pull the door tightly shut. The lock plates on ThermoPlus doors are adjustable for an optimal door setting. Thanks to the soft-lock latch **1**, the door closes very quietly.



[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

### Securing the hinge side

Being able to rest easy in your own home is important, which is why your ThermoPro / ThermoPlus door is secured additionally on the hinge side, making it practically impossible to force the door open.

#### 5 ThermoPro

With 3 security bolts

#### 6 ThermoPlus

with continuous safety device strip made of aluminium

#### 7 Perfectly hung with 3-way adjustable guide rollers

Sturdy, two-part 3-way adjustable hinges with safety pins and stainless steel decorative covers guarantee smooth door function.

#### 8 Interior lever

Each door comes with a beautifully shaped stainless steel interior lever and rose escutcheon on the exterior as standard.

#### 9 Profile cylinder

Delivered with 5 keys as standard. With emergency and hazard function, i.e. the door lock can still be operated when the key is inserted on the inside.



[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

# Custom equipment

## Automatic locks

Open your door easily and conveniently via multiple-point locking using a hand transmitter, radio finger-scan or transponder, making keys a thing of the past.

### 1 Opening via a transponder ■ NEW

For opening with a transponder, the entrance door is equipped with an electromechanical profile cylinder. Hold the transponder in front of the cylinder to unlock and open your door using the knob.

### 2 Opening via a hand transmitter ■ NEW

### 3 Opening via a radio finger-scan ■ NEW

When operating the entrance door via a hand transmitter or radio finger-scan, it automatically unlocks via an electric motor. You can then push the door open.

## Electric strike (not shown)

With the electric strike catch, you can conveniently open your door via a switch inside the house. Alternatively, e.g. during the day, you can also toggle the locking lever so that the entrance door can be opened by a slight push from the outside.

## Door drip (not shown)

Attractive protection: The door drip in Traffic white RAL 9016 diverts driving rain and is easy to retrofit.



[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

## Glazings for doors



### Style 700 / 750 / 800 / 810 / 850 / 900

These styles offer a nearly solid look on the inside and outside. The stainless steel glazing frame complements its elegant overall appearance. Convincing when it comes to saving energy: triple-pane thermal insulation glass glazings with a high thermal insulation value.



### Styles 020 / 025 / 030 / 040

These doors are equipped with a double-pane insulation glass glazing, guaranteeing excellent thermal insulation. A modern, harmonious overall door appearance is created with a round-style plastic glazing frame. With Decograin surfaces, the glazing frame is painted in a colour complementing the surface finish.



### Styles 200/400


Both panelled door styles are a stylish way to present your home with their perfectly matching profile-style plastic glazing frames. When it comes to thermal insulation, the double-pane insulating glass glazing gives you everything you expect from a high-quality Hörmann entrance door.

## Glazings for side elements and transom lights

ThermoPro doors are supplied with the side element and transom lights with double-pane insulated glazing, ThermoPlus doors with triple-pane insulated glazing.



Sand-blasted  
(ThermoPlus,  
ThermoPro)




Sand-blasted with  
clear stripes  
(ThermoPlus,  
ThermoPro)



Clear glass  
(ThermoPlus,  
ThermoPro)



Mastercarré  
(ThermoPro)



Ornament 504  
(ThermoPro)



Cathedral small  
hammered finish  
(ThermoPro)

## A beautiful handle accents the door: Select your desired handle

As standard, all doors come with the exterior handles shown. Alternatively, you can select a different handle (with narrow escutcheon ES 0 or wide escutcheon ES 1) made of stainless steel:



ES 0 / ES 1 lever/knob handle set  
with knob (shown: ES 1  
in stainless steel)

Door handle set ES 0 / ES 1  
(shown: ES 0 in stainless steel)

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)  
Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

## Find your favourite colour

Do you prefer a subtle Window grey or would you like to show your true colours with Ruby red? When choosing a colour for your new Hörmann entrance door, we let your creativity run wild. You can choose between the particularly inexpensive Traffic white RAL 9016 and 15 additional preferred colours. The interior and exterior of your ThermoPlus or ThermoPro doors are always the same colour. Simply contact your Hörmann partner.

In low-cost Traffic white as standard




1

15 preferred colours



2




3



4



5



6



7



8



9



10



11



12




13



14



15



16

- 1 RAL 9016 Traffic white
- 2 RAL 9007 Grey aluminium
- 3 RAL 9006 White aluminium
- 4 RAL 9002 Grey white
- 5 RAL 9001 Cream
- 6 RAL 8028 Terra brown
- 7 RAL 8003 Clay brown
- 8 RAL 7040 Window grey
- 9 RAL 7035 Light grey
- 10 RAL 7016 Anthracite grey
- 11 RAL 6005 Moss green
- 12 RAL 5014 Pigeon blue
- 13 RAL 5010 Gentian blue
- 14 RAL 3003 Ruby red
- 15 RAL 3000 Fire red
- 16 RAL 1015 Light ivory


[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

# Elegance and detailed accuracy

Decograin\* is available in four natural-looking timber designs and anthracite with a metallic effect. An embossed wood grain gives it an authentic timber character.

## 5 Decograin decors



- 1 Decograin Golden Oak: medium brown, golden yellow oak design
- 2 Decograin Dark Oak: walnut-coloured oak decor
- 3 Decograin Night Oak: dark, intense oak design
- 4 Decograin Winchester Oak: natural-coloured knotty oak design
- 5 Titan Metallic CH 703: Anthracite with a metallic effect

### Please note

The colours and surface finishes shown are subject to the limitations of the printing process and cannot be regarded as binding. Dark colours should not be used for doors that are exposed to the sun, as an increased material expansion may impair the door's function.

[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

Not available for styles 100/200/400. Colours matched for glazing frame styles 020/025/030/040

Standard sizes ThermoPlus

Overall frame dimension (ordering size)	Structural opening	Clear frame dimension
1000 x 2100	1020 x 2110	850 x 2005
1100 x 2100	1120 x 2110	950 x 2005

Special sizes ThermoPlus / ThermoPro


Styles	Overall frame dimension (ordering size)
200	875 – 1100 x 1990 – 2186
020, 025, 030, 700, 750, 800, 810, 850, 900	875 – 1250 x 1875 – 2250
010, 015, 040	875 – 1250 x 1875 – 2250
100, 400	875 – 1100 x 1875 – 2186

Standard sizes ThermoPro


Overall frame dimension (ordering size)	Structural opening	Clear frame dimension
1000 x 2100	1020 x 2110	872 x 2016
1100 x 2100	1120 x 2110	972 x 2016

ThermoPlus


Frame variants




Horizontal view of door



Vertical view of door



Horizontal view of side element



[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

All dimensions in mm

Side element standard sizes  
ThermoPlus / ThermoPro

Styles	Overall frame dimension (ordering size)
Glass infill: 010, 015, 020, 025, 030, 040, 700, 750, 800, 810, 850, 900	400 x 2100

Transom light special sizes  
ThermoPlus / ThermoPro

Styles	Overall frame dimension (ordering size)
Glass infill: 010, 015, 020, 025, 030, 040, 700, 750, 800, 810, 900	875 – 2250 x 300 – 500


Side element special sizes  
ThermoPlus / ThermoPro

Styles	Overall frame dimension (ordering size)
Glass infill: 010, 015, 020, 025, 030, 040, 700, 750, 800, 810, 850, 900	ThermoPro: 300 – 1000* x 1875 – 2250 ThermoPlus: 300 – 1000* x 1875 – 2250
Panel infill: 100, 200, 400	450 x 1990 – 2186


\* Transom light not possible from a width of 500 mm. Door sets with side elements do not contribute to the static equilibrium, which must be guaranteed by the building structure.

ThermoPro


Frame variants




Horizontal view of door



Vertical view of door



Horizontal view of side element



[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:

All dimensions in mm. **0800 772 0745 - info@yourgaragedoors.co.uk**



[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)

Contact Sid for a free no obligation quotation:  
0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

# Experience Hörmann quality in new construction and modernisation

Hörmann provides an excellent basis for comprehensive planning. Carefully matched solutions offer you the very best in perfectly designed products for every area.

- **Garage doors**

Optimally match your personal architectural style: up-and-over or sectional doors made of steel or timber.

- **Door operators**

Enjoy extra convenience and break-in-resistant security: Hörmann operators for garage doors and entrance gates.

- **Entrance doors**

Our comprehensive entrance door ranges include models that fit almost every need and requirement.

- **Steel doors**

Sturdy doors for your entire home, from basement to roof.

- **Frames**

Choose from our comprehensive range of products for new construction, expansion and modernisation.



Garage doors and entrance gate operators



ThermoPro entrance door



Steel doors

**[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)**  
**Contact Sid for a free no obligation quotation:**  
**0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)**

# HÖRMANN: QUALITY WITHOUT COMPROMISE



Hörmann KG Amshausen, Germany



Hörmann KG Antriebstechnik, Germany



Hörmann KG Brandis, Germany



Hörmann KG Brockhagen, Germany



Hörmann KG Dissen, Germany



Hörmann KG Eckelhausen, Germany



Hörmann KG Freisen, Germany



Hörmann KG Ichttershausen, Germany



Hörmann KG Werne, Germany



Hörmann Genk NV, Belgium



Hörmann Alkmaar B.V., Netherlands



Hörmann Legnica Sp. z o.o., Poland



Hörmann Beijing, China



Hörmann Tianjin, China



Hörmann LLC, Montgomery IL, USA



Hörmann Flexon LLC, Burgettstown PA, USA

Hörmann is the only manufacturer worldwide that offers you a complete range of all major building products from one source. We manufacture in highly-specialised factories using the latest production technologies. The close-meshed network of sales and service companies throughout Europe, and activities in the USA and China, make Hörmann your strong partner for first-class building products, offering "Quality without Compromise".

**GARAGE DOORS**  
**OPERATORS**  
**INDUSTRIAL DOORS**  
**LOADING EQUIPMENT**  
**HINGED DOORS**  
**DOOR FRAMES**



**[www.yourgaragedoors.co.uk](http://www.yourgaragedoors.co.uk)**  
**Contact Sid for a free no obligation quotation:**  
**0800 772 0745 - [info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)**

### Single Panel Doors

#### Up and Over Garage Doors

One piece doors which return into the Garage and can be fitted with a motor.

#### Side hung Garage Doors

Insulated or single skin and can be split 50/50 or 70/30 in a variety of colours

### Roller Garage Doors

These can be fixed internally or externally to your opening and come with an electric motor

#### Ultimate

70mm lathes, double skinned aluminium and insulated in many colours and foil skins.

#### Compact

55mm lathes for applications with limited space. Both designs come with 2 remote fobs.

### Sectional Garage Doors

Horizontal panels lifting back into the garage with windows and pedestrian doors optional.

### Side Sliding Doors

Electric or manual doors with vertical panels, which are hung from the ceiling and slide.

## WHY NOT VISIT OUR SHOWROOM:

Unit 9, Huss's Lane Long Eaton NG10 1GS

Monday to Friday – 8am to 5pm

Saturday 9am to 12noon

## YOUR GARAGE DOORS LTD

Nottinghamshire, Leicestershire and Derbyshire

[YourGarageDoors.co.uk](http://YourGarageDoors.co.uk)

**Checkatrade.com**  
where reputation matters



Nottingham: 0115 854 9172

Newark: 01636 870 008

Bingham: 01949 280 039



Derby: 01332 960 054

Ripley: 01773 790 090

Burton-on-Trent: 01283 342 012



Leicester: 0116 442 2031

Loughborough: 01509 590 045

Melton Mowbray: 01664 550 018

For a free, no obligation quotation

Call Sid on free phone:

**0800 772 0745**

[info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

No Deposit Required,  
Pay Cheque /Card or Paypal

## YOUR GARAGE DOORS LTD

Nottinghamshire, Leicestershire and Derbyshire

[YourGarageDoors.co.uk](http://YourGarageDoors.co.uk)



Call free on:


**0800 772 0745**

[info@yourgaragedoors.co.uk](mailto:info@yourgaragedoors.co.uk)

Visit our Showroom:

Unit 9, Huss's Lane Long Eaton NG10 1GS

### One Piece Up and Over Garage Doors



### Side Hinged Garage Doors



### Roller Garage Doors



### Sectional Garage Doors



### Side Sliding Garage Doors



Free, no obligation quotation. Call free:

**0800 772 0745**

**info@yourgaragedoors.co.uk**

No Deposit, Pay Cheque/Card or PayPal

## Why not fit an Electric Opener to your existing Garage Door?



- Suitable for single and double garage doors.
- Battery and Solar powered options.
- Bell Push & Emergency Release available.
- 2 remote control fobs, more on request.
- Courtesy Light with a 3-minute delay.
- Safety retraction system.
- 5-year guarantee on the motor.

### VISIT OUR SHOWROOM:



Unit 9, Huss's Lane Long Eaton NG10 1GS

Monday to Friday – 8am to 5pm

Saturday 9am to 12noon

## Your Garage Door Repaired from £55. Parts Extra


**0800 772 0745**

info@yourgaragedoorrepaired.co.uk

No call out charge

95% repairs on the first visit.

No Deposit, Pay Cheque/Card or PayPal



- 7 days per week call out service.
- Guaranteed for 6 months.
- Cables, Springs, locks and Spindles Replaced
- Convert from Canopy to Retractable doors
- Roller motor and hangers replaced
- Roller lathes replaced and limits reset
- 3 year motor guarantee on motors
- Floor Strips and brush strips fitted
- Locks and security fitted

• A Service is included with all repairs:

- All moving parts lubricated.
- Operation checked.
- Minor adjustments made.
- All fastenings checked.
- Electrical contacts checked.
- Advice and Guidance